










Royal Die Catalog (SBT)

3/7/2007 4:07 PM
10F22

						
ROYAL DIE P/N:	RS500	RS501	RS503	RS504	RS505	RS506
GRIP SIZE I. II.	1/0	01	01	01	01	04
WIRE SIZE I. II.	2GA + 4GA	2GA + 2GA - 14GA	4+8GA 4+6GA	4+8GA 4+6GA	4+8GA 4+6GA	4GA
GRIP SIZE I. CCW / CCH II. CCW / CCH	11.55 / 10.1	11.2 / 6.8	11.15 / 6.90 11.15 / 7.25	11.15 / 6.90 11.15 / 7.25	11.15 / 6.90 11.15 / 7.25	10.05 / 5.44
GRIP SIZE ICW / ICH	NA	NA	NA	NA	NA	NA
POLARITY (+/-)	(+) 17.51mm	(-) 15.93mm	(+) 17.51mm	(-) 15.93mm	(+) 17.51mm	(+) 17.51mm
NUT LOC: R/L NUT ASS'Y SIZE	LH ASSY STANDARD M6 STANDARD M6	LH ASSY STANDARD M6 STANDARD M6	LH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	RH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	RH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	RH ASSY STANDARD M5 S.S. STANDARD M5 S.S.
AUX STUD	NONE	NONE	NONE	NONE	NONE	NONE
3-D MODEL	YES	YES	YES	YES	YES	YES
METAPH Y/N VER: DWG/PRT	???	???	???	???	???	???







Royal Die Catalog (SBT)

3/7/2007 4:07 PM
20F22

			
ROYAL DIE P/N:	RS506X	RS507	RS508
GRIP SIZE I. II.	???	04	04
WIRE SIZE I. II.	???	TBD	4GA
GRIP SIZE I. CCW / CCH II. CCW / CCH	???	TBD	10.05 / 5.44
GRIP SIZE ICW / ICH	NA	NA	NA
POLARITY (+/-)	(-) 15.93mm	(-) 15.93mm	(+) 17.51mm
NUT LOC: R/L NUT ASS'Y SIZE	???	RH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	LH ASSY STANDARD M5 S.S. STANDARD M5 S.S.
AUX STUD	NONE	NONE	NONE
3-D MODEL	YES	YES	YES
METAPH Y/N VER: DWG/PRT	???	???	???


Royal Die Catalog (SBT)

3/7/2007 4:07 PM
3OF22

						
ROYAL DIE P/N:	RS509	RS510	RS511	RS512	RS552	RS554
GRIP SIZE I. II.	04	???	01	01	01	04
WIRE SIZE I. II.	TBD	???	4+8GA 4+6GA	2+10GA	6GA & 4GA	4GA
GRIP SIZE I. CCW / CCH II. CCW / CCH	TBD	???	11.15 / 6.90 11.15 / 7.25	11.15 / TBD	11.15 / 7.25	10.05 / 5.44
GRIP SIZE ICW / ICH	NA	???	NA	NA	NA	NA
POLARITY (+/-)	(-) 15.93mm	(+) 17.51mm	(-) 15.93mm	(-) 15.93mm	(-) 15.93mm	(+) 17.51mm
NUT LOC: R/L NUT ASS'Y SIZE	LH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	???	LH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	LH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	RH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	LEFT SIDE NUT ASY STANDARD M5 S.S. STANDARD M5 S.S.
AUX STUD	NONE	NONE	NONE	NONE	M6 S.S.	M6 S.S.
3-D MODEL	YES	YES	YES	YES	YES	YES
METAPH Y/N VER: DWG/PRT	???	???	???	???	YES	YES DWG V1 / PRT V2







Royal Die Catalog (SBT)

3/7/2007 4:07 PM
4OF22

	
ROYAL DIE P/N:	RS555
GRIP SIZE I. II.	04
WIRE SIZE I. II.	4GA
GRIP SIZE I. CCW / CCH II. CCW / CCH	10.05 / 5.44
GRIP SIZE ICW / ICH	NA
POLARITY (+/-)	(+) 17.51mm
NUT LOC: R/L NUT ASS'Y SIZE	RH ASSY TOP DOWN M6 FEATURE
AUX STUD	M6 S.S.
3-D MODEL	YES
METAPH Y/N VER: DWG/PRT	YES





Royal Die Catalog (SBT)

3/7/2007 4:07 PM
5OF22

						
ROYAL DIE P/N:	RS556	RS559	RS560_PIA1	RS564	RS581	RS582 OPT. 1
GRIP SIZE I. II.	04	04	???	01	01	04
WIRE SIZE I. II.	16MMsq + 10MMsq	6 + 8GA (16MMsq + 10MMsq)	???	2GA + 6GA	4GA + 4GA	???
GRIP SIZE I. CCW / CCH II. CCW / CCH	10.05 / TBD	10.05 / 6.00	12.05 / 7.00	11.15 / 7.50	TBD / TBD	???
GRIP SIZE ICW / ICH	NA	NA	???	NA	NA	???
POLARITY (+/-)	(-) 15.93mm	(-) 15.93mm	(-) 15.93mm	(+) 17.51MM	(+) 17.51MM	(+) 17.51MM
NUT LOC: R/L NUT ASS'Y SIZE	LH ASSY TOP DOWN M6 FEATURE M6 S.S.	LH ASSY TOP DOWN M6 FEATURE YES	LH ASSY STANDARD M6 S.S. STANDARD M6 S.S. NONE	LH ASSY STANDARD M6 S.S. STANDARD M6 S.S. M6	RH ASSY TOP DOWN M6 FEATURE M6	RH ASSY STANDARD M6 S.S. STANDARD M6 S.S. M6
AUX STUD	M6 S.S.	YES	NONE	M6	M6	M6
3-D MODEL	YES	YES	YES	YES	YES	YES
METAPH Y/N VER: DWG/PRT	YES	YES DWG 1 / PRT 2	???	YES DWG v.1 / PRT v.2	NO	NO





Royal Die Catalog (SBT)

3/7/2007 4:07 PM
6OF22

					
ROYAL DIE P/N:	RS582 OPT. 2	RS591	RS593	RS595	RS596
GRIP SIZE I. II.	04	NONE	NONE	01	01
WIRE SIZE I. II.	???				
GRIP SIZE I. CCW / CCH II. CCW / CCH	???				
GRIP SIZE ICW / ICH	???				
POLARITY (+/-)	(+) 17.51MM	(+)	(-)	(-)	(-)
NUT LOC: R/L NUT ASS'Y SIZE	RH ASSY TOP DOWN FEATURE	LH ASSY M5 TDF	RH ASSY M5 TDF	SHORT LEVER R60	LH ASSY M5 TDF
AUX STUD	M6	M6 S.S.	M6 S.S.	NONE	NONE
3-D MODEL	YES	YES	YES	YES	YES
METAPH Y/N VER: DWG/PRT	NO	NO	NO	NO	NO







Royal Die Catalog (SBT)

3/7/2007 4:07 PM
7OF22

				
ROYAL DIE P/N:	RS598	RS599	RS604	RS609
GRIP SIZE I. II.	NONE	NONE	2/0	06
WIRE SIZE I. II.			1GA + 4GA	6GA
GRIP SIZE I. CCW / CCH II. CCW / CCH			14.05 / 7.50	7.85 / 5.10
GRIP SIZE ICW / ICH			NA	NA
POLARITY (+/-)	(+)	(-)	(+) 17.51mm	(+) 17.51mm
NUT LOC: R/L NUT ASS'Y SIZE	SHORT LEVER R60	SHORT LEVER R60	RH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	RH ASSY STANDARD M5 S.S. STANDARD M5 S.S.
AUX STUD	M6 S.S.	M6 S.S.	NONE	M6 S.S.
3-D MODEL	YES	YES	YES	YES
METAPH Y/N VER: DWG/PRT	NO	NO	???	YES







Royal Die Catalog (SBT)

3/7/2007 4:07 PM
8OF22

						
ROYAL DIE P/N:	RS610	RS613	RS615	RS616	RS617	RS618
GRIP SIZE I. II.	01	2/0	DELPHI 01	DELPHI 01	2/0	DELPHI 01
WIRE SIZE I. II.	4GA + 6GA	0GA + 8GA	2GA 4GA+6GA	4GA	1/0+8GA(PRIM) 1/0(AUX)	2GA 4GA + 6GA
GRIP SIZE I. CCW / CCH II. CCW / CCH	11.15 / 6.45	14.05 / TBD	12.05 / TBD 12.05 / 7.00	9.10 / 6.00	14.05 / 8.10 14.50 / 7.60	12.05 / TBD 12.05 / 7.00
GRIP SIZE ICW / ICH	NA	NA	TBD / TBD 13.60 / 13.70	11.30 / 9.80	NA	TBD / TBD 13.60 / 13.70
POLARITY (+/-)	(+) 17.51mm	(-) 15.93mm	(+) 17.51mm	(-) 15.93mm	(-) 15.93mm	(+) 17.51mm
NUT LOC: R/L NUT ASS'Y SIZE	LH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	RS ASSY STANDARD M5 S.S. STANDARD M5 S.S.	LH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	RH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	RH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	LH ASSY STANDARD M5 S.S. STANDARD M5 S.S.
AUX STUD	NONE	NONE	NONE	NONE	NONE	M6 S.S.
3-D MODEL	YES	YES	YES	YES	YES	YES
METAPH Y/N VER: DWG/PRT	YES	???	???	???	???	???

Royal Die Catalog (SBT)

3/7/2007 4:07 PM
9OF22







						
ROYAL DIE P/N:	RS619	RS620	RS624	RS627	RS629	RS630
GRIP SIZE I. II.	2/0	01	DELPHI 04	DELPHI 01	01	04
WIRE SIZE I. II.	1/0GA	2GA 4GA +6GA 4GA+8GA	4GA	4GA+6GA 2GA	4GA + 6GA 4GA + 4GA	4GA
GRIP SIZE I. CCW / CCH II. CCW / CCH	13.2 / 7.6	11.15 / 6.45 11.15 / 6.65 11.15 / 6.20	9.10 / 6.00	12.05 / 7.00 12.05 / TBD	11.15 / 7.25 11.15 / 7.35	10.05 / 5.45
GRIP SIZE ICW / ICH	NA	NA	11.30 / 9.80	13.60 / 13.70 TBD / TBD	NO	NA
POLARITY (+/-)	(-) 15.93mm	(-) 15.93mm	(+) 17.51mm	(-) 15.93mm	(+) 17.51mm	(+) 17.51mm
NUT LOC: R/L NUT ASS'Y SIZE	RH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	RH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	LH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	LH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	LH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	RH ASSY STANDARD M5 S.S. STANDARD M5 S.S.
AUX STUD	NONE	NONE	M6 S.S.	NONE	M6 S.S.	M6
3-D MODEL	YES	YES	YES	YES	YES	YES
METAPH Y/N VER: DWG/PRT	???	YES	???	???	YES DWG V7 / PRT V8	NO

Royal Die Catalog (SBT)

	ADD THIS TO CATALOG TCALCA MODELED
ROYAL DIE P/N:	RS632
GRIP SIZE I. II.	???
WIRE SIZE I. II.	???
GRIP SIZE I. CCW / CCH II. CCW / CCH	???
GRIP SIZE ICW / ICH	???
POLARITY (+/-)	???
NUT LOC: R/L NUT ASS'Y SIZE	???
AUX STUD	???
3-D MODEL	???
METAPH Y/N VER: DWG/PRT	???






Royal Die Catalog (SBT)

3/7/2007 4:07 PM
11OF22

						
ROYAL DIE P/N:	RS633	RS634	RS636	RS637	RS638	RS639
GRIP SIZE I. II.	DELPHI 01	DELPHI 04	DELPHI 01	DELPHI 01	2/0	2/0
WIRE SIZE I. II.	4GA+6GA	4GA	4GA+6GA	4GA	2/0GA	0GA 0GA + 8GA
GRIP SIZE I. CCW / CCH II. CCW / CCH	12.05 / 7.00	9.10 / 6.00	12.05 / 7.00	9.10 / 6.00	13.2 / 8.6	14.05 / 7.60 14.05 / TBD
GRIP SIZE ICW / ICH	13.6 / 13.7	11.3 / 9.8	13.6 / 13.7	11.3 / 9.8	NA	N/A
POLARITY (+/-)	(+) 17.51mm	(-) 15.93mm	(+) 17.51mm	(-) 15.93mm	(+) 17.51mm	(-) 15.93mm
NUT LOC: R/L NUT ASS'Y SIZE	LH ASSY STANDARD M6 STANDARD M6	RH ASSY STANDARD M6 STANDARD M6	LH ASSY STANDARD M6 STANDARD M6	RH ASSY STANDARD M6 STANDARD M6	RH ASSY STANDARD M5 STANDARD M5	RH ASSY STANDARD M5 S.S. STANDARD M5 S.S.
AUX STUD	M6	NONE	M6	NONE	2 - M6 STUDS	M6 S.S.
3-D MODEL	YES	YES	YES	YES	YES	YES
METAPH Y/N VER: DWG/PRT	YES	YES	NO	NO	YES	YES



Royal Die Catalog (SBT)

3/7/2007 4:07 PM
12OF22

					
ROYAL DIE P/N:	RS641	RS642	RS649	RS705	RS707
GRIP SIZE I. II.	DELPHI 04	DELPHI 01	DELPHI 01	01	01
WIRE SIZE I. II.	4GA	4GA + 6GA 4GA + 8GA 2GA		2GA	2GA + 6GA
GRIP SIZE I. CCW / CCH II. CCW / CCH	9.10 / 6.00	12.05 / 7.00 12.05 / TBD 12.05 / TBD		???	11.18 / 7.47
GRIP SIZE ICW / ICH	11.3 / 9.8	13.60 / 13.70 13.60 / TBD 13.60 / TBD		NA	NA
POLARITY (+/-)	(+) 17.51mm	(-) 15.93mm	(+)	(-) 15.93mm	(+) 17.51mm
NUT LOC: R/L NUT ASS'Y SIZE		RH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	LONG LEVER R60-2	RH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	RH ASSY STANDARD M6 STANDARD M6
AUX STUD	M6 S.S.	NONE	M6 S.S.	NONE	NONE
3-D MODEL	YES	YES	YES	YES	YES
METAPH Y/N VER: DWG/PRT	YES	YES	NO	???	???






Royal Die Catalog (SBT)

3/7/2007 4:07 PM
13OF22

		
ROYAL DIE P/N:	RS709	RS711
GRIP SIZE I. II.	2/0	01
WIRE SIZE I. II.	1GA + 4GA	4GA + 6GA
GRIP SIZE I. CCW / CCH II. CCW / CCH	14.05 / 7.50	11.15 / 6.65
GRIP SIZE ICW / ICH	NA	NA
POLARITY (+/-)	(+) 17.51mm	(+) 17.51mm
NUT LOC: R/L NUT ASS'Y SIZE	RH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	LH ASSY STANDARD M5 STANDARD M5
AUX STUD	NONE	NO
3-D MODEL	YES	YES
METAPH Y/N VER: DWG/PRT	???	???





Royal Die Catalog (SBT)

3/7/2007 4:07 PM
14OF22

					
ROYAL DIE P/N:	RS712	RS713	RS715	RS717	RS719
GRIP SIZE I. II.	01	01	???	06	01
WIRE SIZE I. II.	4GA + 8GA 4GA + 6GA	4GA+8GA	???	6GA	2GA 4GA + 6GA
GRIP SIZE I. CCW / CCH II. CCW / CCH	11.15 / 6.20 11.15 / 7.25	11.15 / 6.20	???	7.85 / 5.10	11.15 / 6.45 11.15 / 7.25
GRIP SIZE ICW / ICH	NA	NA	???	NA	NA
POLARITY (+/-)	(-) 15.93mm	(-) 15.93mm	(+) 17.51mm	(-) 15.93mm	(-) 15.93mm
NUT LOC: R/L NUT ASS'Y SIZE	RH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	RH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	RIGHT SIDE NUT ASY STANDARD M5 S.S. STANDARD M5 S.S.	RH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	RH ASSY STANDARD M5 S.S. STANDARD M5 S.S.
AUX STUD	NONE	NONE	YES (SIZE?)	NONE	NONE
3-D MODEL	YES	YES	YES	YES	YES
METAPH Y/N VER: DWG/PRT	YES DWG V2 / PRT V7	???	NO	YES DWG 3 / PRT 2	NO







Royal Die Catalog (SBT)

3/7/2007 4:07 PM
15OF22

					
ROYAL DIE P/N:	RS727	RS754	RS755	RS803	RS803X1
GRIP SIZE I. II.	01	DELPHI 01	DELPHI 01	01 06	???
WIRE SIZE I. II.	4GA+6GA			6+4GA 6GA	???
GRIP SIZE I. CCW / CCH II. CCW / CCH	11.15 / 7.25			11.18 / 6.63 7.85 / 5.10	???
GRIP SIZE ICW / ICH	NA			NA	???
POLARITY (+/-)	(-) 15.93mm	(+)	(-)	(+) 17.51mm	(+) 17.51mm
NUT LOC: R/L NUT ASS'Y SIZE	LH ASSY TOP DOWN M6 FEATURE	SHORT LEVER R60	SHORT LEVER R60	RH ASSY STANDARD M6 STANDARD M6	???
AUX STUD	NONE	NONE	NONE	NONE	YES
3-D MODEL	YES	YES	YES	YES	YES
METAPH Y/N VER: DWG/PRT	NO	NO	NO	???	???




Royal Die Catalog (SBT)

3/7/2007 4:07 PM
16OF22

						
ROYAL DIE P/N:	RS804	RS806	RS806	RS807	RS809	RS810
GRIP SIZE I. II.	01	04 06	???	???	???	01
WIRE SIZE I. II.	2GA 4GA + 6GA 4GA + 8GA	6GA + 6GA 6GA	???	???	???	2GA 4GA+6GA
GRIP SIZE I. CCW / CCH II. CCW / CCH	11.15 / 6.45 11.15 / 6.65 11.15 / 6.20	10.05 / 5.75 7.85 / 5.10	???	???	???	11.15 / 6.45 11.15 / 7.25
GRIP SIZE ICW / ICH	NA	NA	???	???	???	NA
POLARITY (+/-)	(+) 17.51mm	(+) 17.51mm	(-) 15.93mm	(-) 15.93mm	(-) 15.93mm	(+) 17.51mm
NUT LOC: R/L NUT ASS'Y SIZE	RH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	LH ASSY STANDARD M5 STANDARD M5	???	STANDARD M5 S.S. STANDARD M5 S.S.	???	RH ASSY TOP DOWN M5 FEATURE
AUX STUD	M6 S.S.	NONE	NO	YES (SIZE?)		NONE
3-D MODEL	YES	YES	YES	NO	YES	YES
METAPH Y/N VER: DWG/PRT	???	YES	???	NO	???	???






Royal Die Catalog (SBT)

3/7/2007 4:07 PM
17OF22

			
ROYAL DIE P/N:	RS812	RS814	RS815
GRIP SIZE I. II.	01	01	01
WIRE SIZE I. II.	2GA 4GA+6GA	2GA 4GA+6GA	2GA 4GA+6GA
GRIP SIZE I. CCW / CCH II. CCW / CCH	11.15 / 6.45 11.15 / 7.25	11.15 / 6.45 11.15 / 7.25	11.15 / 6.45 11.15 / 7.25
GRIP SIZE ICW / ICH	NA	NA	NA
POLARITY (+/-)	(+) 17.51mm	(+) 17.51mm	(+) 17.51mm
NUT LOC: R/L NUT ASS'Y SIZE	RH ASSY TOP DOWN M5 FEATURE	RH ASSY TOP DOWN M5 FEATURE	RH ASSY TOP DOWN M5 FEATURE
AUX STUD	M6 S.S.	NONE	M6 S.S.
3-D MODEL	YES	YES	YES
METAPH Y/N VER: DWG/PRT	YES	YES DWG 1 / ASY 3	YES DWG 1 / ASY 2





Royal Die Catalog (SBT)

3/7/2007 4:07 PM
18OF22

					
ROYAL DIE P/N:	RS825	RS827	RS828	RS833	RS834
GRIP SIZE I. II.	01 04	01 04	01 04	01	01
WIRE SIZE I. II.	4GA+6GA 4GA	4GA+6GA 4GA	4GA+6GA 4GA		
GRIP SIZE I. CCW / CCH II. CCW / CCH	11.15 / 7.25 10.05 / 5.44	11.15 / 7.25 10.05 / 5.44	11.15 / 7.25 10.05 / 5.44		
GRIP SIZE ICW / ICH	NA	NA	NA		
POLARITY (+/-)	(+) 17.51mm	(+) 17.51mm	(+) 17.51mm	(+)	(+)
NUT LOC: R/L NUT ASS'Y SIZE	LH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	LH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	LH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	R60 LEVER NO OVERMOLD	R60 LEVER NO OVERMOLD
AUX STUD	M6 S.S.	M6 S.S.	NONE	NONE	M6 S.S.
3-D MODEL	YES	YES	YES	YES	YES
METAPH Y/N VER: DWG/PRT	YES	NO	NO	NO	NO







Royal Die Catalog (SBT)

3/7/2007 4:07 PM
19OF22

				
ROYAL DIE P/N:	RS900	RS900X	RS901	RS903
GRIP SIZE I. II.	2/0 01	???	04 04	2/0 01
WIRE SIZE I. II.	2/0GA 2GA	???	4GA 4GA	2/0GA 2GA
GRIP SIZE I. CCW / CCH II. CCW / CCH	13.2 / 8.6 11.15 / 6.45	???	9.95 / 5.65 9.95 / 5.65	13.2 / 8.6 11.15 / 6.45
GRIP SIZE ICW / ICH	NA	???	NA	NA
POLARITY (+/-)	(+) 17.51mm	(+) 17.51mm	(+) 17.51mm	(+) 17.51mm
NUT LOC: R/L NUT ASS'Y SIZE	LH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	???	LH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	RH ASSY STANDARD M5 S.S. STANDARD M5 S.S.
AUX STUD	M6 S.S.		M6 S.S.	M6 S.S.
3-D MODEL	YES	YES	YES	YES
METAPH Y/N VER: DWG/PRT	???	???	???	???





Royal Die Catalog (SBT)

3/7/2007 4:07 PM
20OF22

						
ROYAL DIE P/N:	RS904	RS905	RS906	RS907	RS908	RS909
GRIP SIZE I. II.	2/0 01	2/0 01	2/0 GA 01	01	2/0 GA 01	???
WIRE SIZE I. II.	1/0GA +6GA 2GA	1/0GA 2+10GA	2/0GA & 6GA 2GA 1/0	2GA	2/0GA & 6GA 2GA 1/0	???
GRIP SIZE I. CCW / CCH II. CCW / CCH	14.05 / TBD 11.15 / 6.45	14.05 / 7.60 11.15 / TBD	14.05 / TBD 11.15 / 6.45 14.05 / 7.60	11.15 / 6.45	14.05 / TBD 11.15 / 6.45 14.05 / 7.60	???
GRIP SIZE ICW / ICH	NA	NA	NA	NA	NA	???
POLARITY (+/-)	(+) 17.51mm	(-) 15.93mm	(+) 17.51mm	(+) 17.51mm	(-) 15.93mm	(+) 17.51mm
NUT LOC: R/L NUT ASS'Y SIZE	RH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	LH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	RH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	RH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	LH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	RIGHT SIDE NUT ASY STANDARD M5 S.S. STANDARD M5 S.S.
AUX STUD	NONE	NONE	NONE	M6 S.S	NONE	NO
3-D MODEL	YES	YES	YES	YES	YES	YES
METAPH Y/N VER: DWG/PRT	???	???	YES	YES	YES	NO



Royal Die Catalog (SBT)

3/7/2007 4:07 PM
21OF22

				
ROYAL DIE P/N:	RS910	RS911	RS915	RS916
GRIP SIZE I. II.	???	???	G.M.	G.M.
WIRE SIZE I. II.	A	???	???	???
GRIP SIZE I. CCW / CCH II. CCW / CCH	???	???	12.7/9.525	12.7/9.525
GRIP SIZE ICW / ICH	???	???	13.97/15.24	13.97/15.24
POLARITY (+/-)	(+) 17.51mm	(-) 15.93mm	(+) 17.51mm	(-) 15.93mm
NUT LOC: R/L NUT ASS'Y SIZE	RIGHT SIDE NUT ASY STANDARD M5 S.S. STANDARD M5 S.S.	RIGHT SIDE NUT ASY STANDARD M5 S.S. STANDARD M5 S.S.	LEFT SIDE NUT ASY STANDARD M6 S.S. STANDARD M6 S.S.	RIGHT SIDE NUT ASY STANDARD M6 S.S. STANDARD M6 S.S.
AUX STUD	NO	NO	NO	YES
3-D MODEL	YES	YES	YES	YES
METAPH Y/N VER: DWG/PRT	NO	NO	NO	NO

Royal Die Catalog (SBT)

3/7/2007 4:07 PM
22OF22

		
ROYAL DIE P/N:	RS921	RS922
GRIP SIZE I. II.	2/0	2/0
WIRE SIZE I. II.	0GA 0GA + 8GA	2/0GA
GRIP SIZE I. CCW / CCH II. CCW / CCH	14.05 / 7.60 14.05 / 8.10	14.05 / TBD
GRIP SIZE ICW / ICH	NA	NA
POLARITY (+/-)	(-) 15.93mm	(-) 15.93mm
NUT LOC: R/L NUT ASS'Y SIZE	RH ASSY STANDARD M5 S.S. STANDARD M5 S.S.	RH ASSY STANDARD M5 S.S. STANDARD M5 S.S.
AUX STUD	NONE	M.6 S.S.
3-D MODEL	YES	YES
METAPH Y/N VER: DWG/PRT	YES	YES